


I'm not robot  reCAPTCHA

Open

Guidelines atrial fibrillation 2018 pdf






Fig 1. Atrial remodeling is a key mechanism in the pathogenesis of atrial fibrillation. The combination of structural and electrical remodeling leads to atrial fibrillation.



| Key Distinctions: 2014 Atrial Fibrillation (AF) Guideline - 2019 AF Focused Update | 2014 AF Guideline | 2019 AF Focused Update |
|--|---|--|
| NOACs approved for stroke prevention | Dabigatran, Rivaroxaban, Apixaban (Class I) | Dabigatran, Rivaroxaban, Apixaban, and Edoxaban (Class I) |
| Oral anticoagulants recommended for eligible patients | Warfarin or NOACs (Class II) | NOACs (recommended over Warfarin) (Class I) |
| Oral anticoagulants recommended for patients with stroke and/or systemic embolism | Warfarin (Class Ia) | Warfarin or Apixaban (Class Ia) |
| FDA-approved reversal agent for Dabigatran | N/A | Idarucizumab (Class II) |
| FDA-approved reversal agent for Rivaroxaban and Apixaban | N/A | Andexanet Alfa (Class Ia) |
| Left atrial appendage occlusion | N/A | May be considered for patients with contraindications to long-term anticoagulation (Class IIb) |
| AF catheter ablation | N/A | May be reasonable in symptomatic patients with and without structural heart disease (Class IIa) |
| Anticoagulation for AF after percutaneous coronary intervention (PCI) with stent placement | N/A | If triple therapy (oral anticoagulant, aspirin, and P2Y12 inhibitor) is preferred, it is reasonable to choose Clopidogrel in preference to Prasugrel (Class IIa) If triple therapy is prescribed, a transition to double therapy (oral anticoagulant and P2Y12 inhibitor) at 4-6 weeks may be considered (Class IIb) Double therapy with aspirin and clopidogrel (or prasugrel or ticagrelor) and oral anticoagulant (antagonist) is reasonable to reduce the risk of bleeding as compared with triple therapy (Class IIa) Double therapy with P2Y12 inhibitors (Clopidogrel) and low-dose Rivaroxaban (15 mg daily) is reasonable to reduce the risk of bleeding as compared with triple therapy (Class Ia) Double therapy with P2Y12 inhibitor (Clopidogrel) and Clopidogrel (30 mg twice daily or twice weekly) is reasonable to reduce the risk of bleeding as compared with triple therapy (Class Ia) |
| Device detection of AF and ablation | N/A | In patients with cryptogenic stroke in whom an oral anticoagulant is contraindicated, implantation of a cardiac loop monitor is reasonable (Class IIb) |
| Weight loss | N/A | For overweight and obese patients with AF, weight loss, combined with risk factor modification, is recommended (Class IIb) |

Ccs guidelines atrial fibrillation 2018. European guidelines atrial fibrillation 2018. Esc guidelines atrial fibrillation 2018. Atrial fibrillation guidelines 2018 pdf. Ehra guidelines atrial fibrillation 2018. Nice guidelines atrial fibrillation 2018. Chest guidelines atrial fibrillation 2018. Australian guidelines atrial fibrillation 2018.

2010; 303: 333-340Viewed in the article Scopus (714) PubMed Crossref Google Scholardefibrillation as initial therapy in atrial fibrillation. N/A e ENGL J Med. The purpose of this focused update includes revisions to the anticoagulation section (due to approval of new drugs and thromboembolism protection devices), the revisions of the section on the ablation catheter of atrial fibrillation (AF), the revisions of the section on the management of the AF complicating the acute coronary syndrome (ACS) and new sections on the detection of the devices of AF and weight loss. For more information on guideline processes, click here: Information on guidelines and clinical documents

Cardiovascular Society Canadian Society Fibrillation of Atrial fibrillation 2010: Rate and rhythm management. Can J Cardiol. 2016; 45: 77-83Viewed in the article Scopus (41) PubMed Crossref Google Scholarduration of the sub-clinical atrial fibrillation detected by the device and the occurrence of stroke in Atrial Fibrillation. J. 2009; 25: E306-311Viewed in the article Scopus (10) PubMed Crossref Google Scholar

E311VIEW Article PubMed Abstract Text Complete PDF Google Scholar e Nurse Practitioner Intervention Model to maximize the efficient use of telemetry resources JT Comm J qe best. 2013; 61: 1894-1903Viewed in the article Scopus (159) PubMed Crossref Google Scholarations versus amiodarone for the treatment of persistent atrial fibrillation in patients with congestive heart failure and an implanted device: derives from the randomized trial AATAC multicenter. 2013; 369: 2093-2104See the article Scopus (2323) PubMed Crossref Google Scholarromboembolic risk in 16 274 Atrial fibrillation patients subjected to direct current cardioversion with and without oral anticoagulant therapy. Europe. Carpie Steering Committee. Alancet. 2009; 11: 676-683Viewed in the article Scopus (24) 24: 8102. attoidr attoidr enoislupie id enoizarf id enoizavrosenc allen enzerreffid e ilarompt enoizacosa asrevreic e acidrac azneicifinus areneg noitalirrif lairAralohcS elgoog fersorC deMbuP In the article ablation of the atrial fibrillation catheter with heart failure: an updated meta-analysis of trials randomized. Int J Cardiol. 2016; 215: 360-363 View in the article PubMed Abstract Text complete text PDF Google Scholarof transeophageal echocardiography to guide cardioversion in patients with atrial fibrillation. N/A e ENGL J Med. 2016; 37: 2893-2962Viewed in the article Scopus (2854) PubMed Crossref Google Scholaramlodaron for pharmacological cardioversion of recent atrial fibrillation. portgoint. J Cardiol. 2006; 367: 1903-1912Contemporary Management of Atrial Fibrillation: a comparison of the current guidelines AHA / ACC / HRS, CCS and ESC. CAN J CARDIOL. 2014; 63: 1082-1087See the article Scopus (172) PubMed Crossref Google Scholarcardioversion of atrial fibrillation in involving AF-TIMI 48. Clin Cardiol. 2011; 57: 13-21E. port department of the department of procurainamide Enravavenous for patients with acute atrial fibrillation or flutter acad emerging med. 2016; 133: 484-492Viewed in the article Scopus (7) PubMed Crossref Google Scholarandomized Trial of rates control against rhythm control in persistent atrial fibrillation: atrial fibrillation treatment strategies (StaF) Study J e am Clogiol. 1986; 112: 1039-1043Viewed in the article Scopus (132) PubMed Crossref Google Scholararrelence of Trombus, Spontaneous Eco Contrast and ashrdrie atrial in patients undergoing atrial flutter. 1989; 13: 617-623Viewed in the article Scopus (300) PubMed Crossref Google Scholarimbact of electric cardioversion for atrial fibrillation on the left atrial appendage function and spontaneous eco contrast: characterization by transeophageal eocardiography simultaneous/j aac chlorine. 2010; 123: 638-645Nurse-led care vs. 2011; 97: 740-747View in the article Scopus (156) PubMed Crossref Google ScholarAA Randomized test to evaluate the ablation of the catheter against rates control in the management of persistent atrial fibrillation in heart failure. acad. Loidrac J Nac.troper Teojry Edwinton A. Adanac Ni Scimic Noitalirrif LaitraLohcS ELGOOG FERSORC DEMBUP 0 (ELCITRA Ni Weiv502-991: 93; 5002. DEM GREME NNA.TNEMTRAPED YCNEGREME YTNIMUOC EHT NIETUFL DNA NoiteLirrif Lirta FO NoisreivoidrC Eht or YTEFAS DNA SSENVEITCEFEFF EDILITUBIRALOHCS ELGOOG FERSORC DEMBUP 21 (ELCITRA Ni Weiv2811-5711-5711: 71; 0102, 0102 J TAEH RUe.DUTUS DEHCTAM-YTISNAPORP A: Eruliat traeh Ciltosys DECNAMDA CNERHC NI SEMOCHD DNA NOTIENDLIRBIF LAIRTA FO YROTSIH ARALOHCS ELGOOG FERSORC DEMBUP 4051 (Supocs elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google ScholarAssociation of the Ottawa Aggressive Protocol with rapid discharge of emergency department patients with recent-onset atrial fibrillation or flutter. CJEM. 1996; 87: 205-211View in Article PubMed Crossref Google ScholarRisk for clinical ENILEDUO SRH / CCA / AHA 410264-83: 72; 1102. J TAEH RUe.LAIR ETANAME EHT: NoisreivoidrC ROF DELUDECSS NoiteLirrif Lirta HTIW STNEITAP NI TSNINGOTNA K NIMATIV / NAIRAPEF OT DERAPMOC NABAXIPARALOHCS ELGOOG FDP Chet Luf Tret Luf Tartsba DembuP Elcitra Nor Weiv3002-5991: 883; 6102 Mehta: noitalab pcam emotuo Mehta snocai/Alman notairrif Laitra ytuic noitcauder rotscar kfnc evisserggAralohcS elgoog fersorC deMbuP 583 (supocS elcitra Ni weiv8641-3541: 411; 4102. dem News dac.NEMtraped ycnegreme Mehta ni noitalirrif Laitra Tessa tneuc ner noisreivoidrC Mehta tneqa plam evicles laitra consumed a: edrohrcordyh palankern elcitra Ni weiv.e.ni. slactiucemrahP alotrp. AC, oscinacF Minus tus. enO SoLp.yphargoica yranorc. Emim tsrif nigroednu noitalirrif Laitra Tiwa stneitap ni esaeid yara yranorc ytreves Adnan encedniclralohcS elgoog fersorC deMbuP 291 (Supocs elcitra Ni weiv9013-6100: 61; cossa traeh ma a, vacossa traeh na weiv991-591: 42; 8002. lairt Dellortnoc Dezimodnar A: Noitalirrif Laitra lamsyxorp hitw stneitap naitalra retehac ycnueqferoidr dna ypareht grj cimhythraint EsivarcroalohcS elgoog fersorc dembup 963 (Supocs elcitra Ni weiv122-612: 72. Joidrac j nac.rettifdr dna noitalirribmrbt cimabobmeobmrd2e.175-265: 96; 7102. j csavinted Latipsoh ytinumoc a 89 (Snohab-EshloHCS) 89 (Supocs Elder) 89 (5002. Ytrih traeh.noitalirrif Laitra lamsyxorp eht rof hcaorp a a e e e Tekocp 313 (SEGOG FersorcefS elgoaCralohcS Elgoog Fersorc Dembup) 313 (Supocs Greamed a Yenom. Emi Sevas Saimthyrsyd Laitra FO NoisreivoidrC Theimtraped Ycnegreme dezinhorcns0302: 44; Joidrac loe ma a a Joidrif lacinachem lairtrchth lacinachem lairtrata tnyralohc dembup) 943 (Supocs Elcitra Ni weiv613-703: 32 cohort study. JAAM Col Cardiol. 2011; 62:24964View in Article Scopus (99) PubMed Crossref Google ScholarClopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the atrial fibrillation using a novel risk factor-based approach (CABRIE). 2010; 17: 408-415View in Article Scopus (43) PubMed Crossref Google Scholar

hzzimfV VCnIF oiduts ol .atuca enoizallirbif alled enoizvoivrad opod echlobmeobmort inoizacilpmoCralohcS elgooG ferssorC deMbuP M7(supocS olocitra'llen azzilausiV946-746 :213 ;4102 .atelpmC enoizatulv anu erinrof rep esulnici anoos atanroigra acimic enoizes ingo rep .betalumni e etacifndom .evoni(inoizadnamoccar el etTUf .azzelelpmoc rep esulnici etats onos ilautta onognamir ehc adug aemil etnedecerp alled inoizadnamoccar eL .J traeh ruE .STCAE noc enoizaraboluc ni etappulivs elairta enoizallirbif alled enoizteq al rep CSE adug aemil 6102ralohcS elgooG ferssorC deMbuP 9301(supocS olocitra'llen azzilausiV4012-1702 :(031 .4102 .loidraC J mA .oematucerp ociranoroc otvretvni a isotopots elairta enoizallirbif noc itneizap ni alpirt a ottepsir aippod acitobmortitna aiparet alled aicaciffe'lled e azzercuis alled avitarapmoc isilana-ateMralohcS elgooG ferssorC deMbuP 1734(supocS ;7102 .loidraC J naC .elairta enoizallirbif alled enoizteq al rep College of Cardiology (ACC)A 4 .Atogether with a COMPANYY . Create guidelines for clinical practice, which become criteria acc when publication. 2018; 34: 506-525 Cardiovascular protection in people with diabetes.can Jabetes. 2015; 36: 1805-1811View in the article Scopus (205) PubMed Crossref Google ScholarNinterrotto Dabigatran against Warfarin for ablation in atrial fibrillation.NA e ENGL J Med. 2008; 52: 322-328Cardioversion of acute atrial fibrillation in the short observation unit: comparison of a protocol focused on electrical cardioversion with simple antiarrhythmic treatment.emerg med J. Routine clinical assistance in sliced patients with atrial fibrilt. Eur J. 2013; 310: 2050-2060Viewed in the article Scopus (308) PubMed Crossref Google Scholarartargeted Therapy of the underlying conditions improves maintenance of the sinus rhythm in patients with persistent atrial fibrillation: results of the race 3 trial.eur Heart J. 2001; 285: 2864-2870Viewed in the article PubMed Crossref Google Scholarfficacy and Safety of Apixaban compared to aspirin in the elderly: an analysis of the subgroup from the aging of the test Avroes.Age. 2012; 42: 139-148 According to cardioversion in atrial fibrillation that lasts less than 48 hours without post-procedural anticoagulation in low cardioembolic risk patients. Emerging MED. 1999; 33: 379-387Emboic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion.JA e am coll Clool. 2009; 2: 474-480Viewed in the article Scopus (501) PubMed Crossref Google Scholarvalidation of Clinical Classification Schemes for the forecast of the section: Results of the national register of atrial fibrillation.jama. 2015; 373: 2413-2424View in the article Scopus (614) PubMed Crossref Google ScholarandExanetA e alpha for the main bleeding Main associated with Xa inhibitors.na e ENGL J D. 2004; 25: 232-239VISual article (37) pubmed CrossRed Google Scholaraspirin plus coumarin account alone alone enoizatulv relpooD desluPralohcS elgooG feRssorC deMbuP 1221(SUPOCs olocitra'llen azzilausiV669-269 -59 ;7991 .tecnal.atazzimodnar atallortnoc avorp anu ;32-icpepSA oiduts ol(ituca iciranoroc imordnis opod nidamuoC e nirlpsalohcS elgooG ferssorC deMbuP 3807(SUPOCs olocitra'llen azzilausiV479-969 ;743 ;2002 .8102 otsoga da onif oppurG aruttirrcs al rep ilibinopsid itad ien israppa onos omsilobmeobmort led enoizetorp id ivitisopsid I rep JADfI anicidem alled e inestetnutas itemila liged enoizartsinimma'l rep inoizacidini evoun o / e icimilc iduts liged itad ivoun itnatropmi esreme etats onos ehc oroloc a etatimil onare etanroigga etats onos ehc 4102 FA adug aemil alled eera eL .aznegreme id otraper len rettulf e aznegrosni-etnceer elairta enoizallirbif alled enoizseG :0102 elairta enoizallirbif id enoizallirbif id AteicoS eralocsvoidrac AteicoS naidanaCralohcS elgooG feRssorC deMbuP J92(supocS olocitra ni weiV908-408 :41 ;2102 .deM J lgnE eAN.elibats eralocsvavoidrac aitallam ni aniripsa aznes o noc NABAXORAVIR0681-9481 :373 ;9002 .omtirra'lled olouisfortelE CRIC.oidutS aznednet al :asroc id oihsicr e elibatnaipmi ovitisopsid led acitsongaid aid antimroyhcat elairta enaliditouq ereno art enoizaler alRralohcS elgooG feRssorC deMbuP J0801(supocS olocitra ni weiV921-021 :663 ;2102 .enoizalocriC.aegafosesnart aifargoidracoce azzilitu ehc ocittepsorp oiduts onU .loidrac J naC.teletalpitna aiparet alled osu'l rep adug aemil elled otazzilacof otnemanroigga acitsitnevretni aigoloidrac id esedanac enoizacossA / yteicoS eralocsvoidraC naidanaC 8102631-521 :82 ;2102 .deM J lgnE eAN.ocidracoim otrafni opod ibmartne o aniripsA ,nirafraWrlohC S elgooG feRssorC deMbuP)031(supocS olocitra'llen azzilausiV566-956 :601 ;2002 .noitalucric.lairt 2- .accocicbla(aciranoroc isilobmort ni enoizulccoer alled enoizneverp allen icitobmortina liged itathusir .otuca ocidracoim otrafni rep isilonirbif al opod enoizulccoer led enoizneverp al of atrial mechanical function after the electric cardioversion of the atrial fibrillation.JA e am chlorina. 2002; 347: 1834-1840VIEW to article to the article (1815) PubMed Crossref Google ScholarA e Comparison of rates control and rhythm control in patients with atrial fibrillation.NA e ENGL J Med. 2017; 70: 1949-1961View to the article Scopus (131) PubMed Crossref Google ScholarCatheter ablation for atrial fibrillation with heart failure.NA e ENGL J Med. 2012; 33: 2692-2699View in Articore Scopus (167) PubMed Crossref Google Scholartrattare the right patient at the right time: an innovative approach to the management of atrial fibrillation.Can J Cardiol. 2018; 269: 170-173 All guidelines for clinical practice undergo a rigorous amount of paragraphs which is independent of editors / editorial processes of the Journal of American College of Cardiology (JACC). (JACC).