Continue

Yamaha ray z user manual

The keycan be removed.EWAE0070Never turn the key to “ ” or “ ”while the vehicle is moving. Smartphone battery level meter3. Careful-ly inspect the accessory beforeusing it to make sure that it doesnot in any way reduce groundclearance or cornering clearance,limit suspension travel, steeringtravel or control operation, or ob-scure lights or reflectors.• Accessories fitted to the han-dlebar or the front fork area cancreate instability due to improp-er weight distribution or aerody-namic changes. Speed animation bar2. Refer to page 8-17 for tirespecifications and more information onreplacing your tires.Transporting the ScooterBe sure to observe following instruc-tions before transporting the scooter inanother vehicle. Remove all loose items from thescooter. Point the front wheel straightahead on the trailer or in the truckbed, and choke it in a rail to pre-vent movement. Secure the scooter with tie-downsor suitable straps that are at-tached to solid parts of the scoot-er, such as the frame or upperfront fork triple clamp (and not, forexample, to rubber-mounted han-dlebars or turn signals, or partsthat could break). Also for: Cygnus ray zr125 2022, Lcg125 2022, ... View the manual for the Yamaha RAYZR (2024) here, for free. CYGNUS RAY ZR 2022 motorcycle pdf manual download. 2-1Right view..... CYGNUS RAY ZR motocicletas Descargar manual en PDF. 5-13Seat ..... Manyaccidents have been caused byan automobile driver who did notsee the scooter. 2-1Left view ..... Avoid riding in anothermotorist’s blind spot.• Never maintain a scooter with-out proper knowledge. Otherwise,the vehicle could start moving unex-pectedly after the engine restarts. When the sidestand is lowered,the Stop and Start System is de-activated. If the Stop and Start System doesnot operate correctly, have aYamaha dealer check the vehicle.EAU76711Precautions when using the Stop and Start SystemIn order to prevent accidents due toimproper operation, carefully read andobserve the following precautions.EWA18741When walking while pushing the ve-hicle, be sure to turn the main switchoff. The various positions are de-scribed below.EAUE4641 (ON)All electrical circuits are supplied withpower and the vehicle lights are turnedon. Right handlebar switches (page 5-9)6. 2-2Controls and instruments..... 5-10Rear brake lever ..... 5-6 DELTA SILICON INDUSTRIALPARK LIPPO CIKARANG BEKASI 17550, INDONESIAImporter:YAMAHA MOTOR EUROPE N.V.Koolhovenlaan 101, 1119 NC Schiphol-Rijk, 1117 ZN, Schiphol, the NetherlandsUBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PM Page 34-14EAUE5710The CCU allows your vehicle andsmartphone to connect usingBluetooth wireless technology and theMyRide App.With this connection, notifications fromapps, incoming phone calls andmissed calls are signaled to you, andthe battery level of your smartphone isdisplayed.EWAN0070 Always stop the vehicle beforeoperating your smartphone. Never take your hands off thehandlebars while riding. Always concentrate on riding bykeeping your eyes and mind onthe road.ECAN0150The Bluetooth connection may notwork in the following situations. In a location exposed to strongradio waves or other electro-magnetic noise. At facilities nearby that areemitting strong radio waves (TVor radio towers, power plants,broadcasting stations, airports,etc.).Pairing the CCU and your smartphone1. Other tires, rims,sizes, and combinations may not beappropriate. Use extra carewhen riding a scooter that has addedcargo or accessories. Make sure thataccessories and cargo are se-curely attached to the scooter be-fore riding. 5-11Fuel..... 5-4Handlebar switches..... Fuel meter8. Stop and Start System indicator light “ ”1435672ZAUE5336ASSTkm/hkm/LkmOILV–BELTF/ECOAV GODOTRIPAppmile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOSELECTUBUVE0E0.book Page 2 Tuesday, December 12, 2023 2:10 PMPage 225-35on. The key can be re-moved.To lock the steering1. A loose load willaffect the stability of the scooterand could divert your attentionfrom the road. Avoid hard braking,because the scooter could slide.Apply the brakes slowly whenstopping on a wet surface. Slow down as you approach acorner or turn. App connect iconmile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODO12ZAUE5335UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 43-43EWA18771 When leaving the vehicle unat-tended, be sure to turn the mainswitch off. Do not leave the Stop and StartSystem turned on when parkingthe vehicle. Breathingcarbon monoxide can cause head-aches, dizziness, drowsiness, nausea,confusion, and eventually death.Carbon Monoxide is a colorless, odor-less, tasteless gas which may bepresent even if you do not see or smellany engine exhaust. Beginnersshould receive training from a cer-tified instructor. 5-10Fuel tank cap..... This willcause damage to the catalytic con-verter.If a problem is detected in the electricalcircuit, all segments will start flashing.If this occurs, have a Yamaha dealercheck the vehicle.EAUE5631Multi-function displayThe multi-function display is equippedwith the following: an odometer (ODO)1. Left handlebar switches (page 5-9)3. When the last seg-ment of the fuel meter “ ” starts flash-ing, refuel as soon as possible.ECAE0130Do not drive the vehicle until it iscompletely out of fuel. 8-24Checking the steering..... Ver y descargar Yamaha CYGNUS RAY ZR manual del propietário online. The engine can be started. Make sure thatother motorists can see you. The posture of the operator andpassenger is important for propercontrol.• The operator should keep bothhands on the handlebar andboth feet on the operator foot-rests during operation to main-tain control of the scooter.• The passenger should alwayshold onto the operator, the seatstrap or grab bar, if equipped,with both hands and keep bothfeet on the passenger footrests.Never carry a passenger unlesshe or she can firmly place bothfeet on the passenger footrests. Never ride under the influence ofalcohol or other drugs. This scooter is designed for on-road use only. The use of a safety helmet is thesingle most critical factor in the pre-vention or reduction of head injuries. Always wear an approved helmet. Wear a face shield or goggles.Wind in your unprotected eyescould contribute to an impairmentof vision that could delay seeing ahazard. The use of a jacket, substantialshoes, trousers, gloves, etc., is ef-fective in preventing or reducingabrasions or lacerations. Never wear loose-fitting clothes,otherwise they could catch on thecontrol levers or wheels and causeinjury or an accident. Always wear protective clothingthat covers your legs, ankles, andfeet. If the vehicle isplaced on the centerstand while theStop and Start System is left turnedon, the engine could start and thevehicle could start moving if thethrottle grip is turned accidentally.1. Flashing2. Otherwise have a Yamaha dealercheck the CCU and the electrical cir-cuit.EAUE5720SpeedometerThe speedometer shows the vehicle’straveling speed.The speed animation bar is an approx-imate visual representation of the vehi-cle speed. 8-11Replacing the air filter element..... Keep the scooter up-right, otherwise it could slide outfrom under you. The brake pads or linings couldget wet when you wash the scoot-er. Smartphone battery level meter2. Forthis reason, you should read the fol-lowing material carefully.Since the engine is brand new, do notput an excessive load on it for the first1000 km (600 mi). 5-1Indicator lights and warning lights..... (See page 5-13.)3.Scan CCU QR code with theMyRide App.4. When pairing is complete, the Appconnect icon and smartphonebattery level meter will come on. Once paired, the smartphone isregistered in the CCU. To prevent this, observe these pre-cautions. Do not attempt to modify the soft-ware of the engine control unit. Do not add any electrical acces-sories that interfere with enginecontrol. Do not use aftermarket accesso-ries or parts such as suspension,spark plugs, injectors, exhaustsystem, etc. Do not change the drivetrainspecifications (chain, sprockets,wheels, tires, etc.). Do not remove or alter the O2 sen-sor, air induction system, or ex-haust parts (catalysts or EXUP,etc.). Maintain proper V-belt and drivebelt (if equipped). Maintain correct tire pressure. Do not operate the vehicle in anextreme manner. 3-1Stop and Start System operation... It is not suitable foroff-road use.Protective ApparelThe majority of fatalities from scooteraccidents are the result of head inju-ries. Deadly levels ofcarbon monoxide can collect rapidlyand you can quickly be overcome andunable to save yourself. Changingsettings while riding can distract theoperator and increase the risk of anaccident.EAUA1350Incoming call icon “ ” (If CCU is equipped)This icon flashes when there is an in-coming call to the connected smart-phone. In fact, many op-erators who have been involved inaccidents do not even have a cur-rent driver’s license.• Make sure that you are qualifiedand that you only lend yourscooter to other qualified opera-tors.• Know your skills and limits.Staying within your limits mayhelp you to avoid an accident.• We recommend that you prac-tice riding your scooter wherethere is no traffic until you havebecome thoroughly familiar withthe scooter and all of its con-trols. Many accidents have beencaused by error of the scooter op-erator. 8-13Adjusting the throttle grip free play..... Main switch (page 5-1)5. Acceleration assist indicator light “ASST”4. For example, re-peated or excessive opening andclosing of the throttle, racing,burnouts, wheelies, etc.EAU76382Stop and Start System indicator light “ ” This indicator light comes on when theStop and Start System activates. You are responsible for injuriesrelated to changes in the vehicle.Keep the following guidelines in mind,as well as those provided under “Load-ing” when mounting accessories. Never install accessories or carrycargo that would impair the per-formance of your scooter. This manual should stay with this vehicle if it is sold.EAUN3031For EuropeDeclaration of Conformity:Hereby, YAMAHA MOTOR CO., LTD declares that the radio equipment type, Communication Control Unit, Y08U-A00 is incompliance with Directive 2014/53/EU.The full text of the EU declaration of conformity is available at the following internet address: band: 2402~2480 MHzThe maximum radio frequency power:Bluetooth 4.2 2.75 dBm 1.88 mWBluetooth 5.0 2.59 dBm 1.82 mWManufacturer:PT Chao Long Motor Parts IndonesiaJL.MERANTI 1 BLOK, L2 NO. Ifthere is a control or function you do notunderstand, ask your Yamaha dealer.EWA10272Failure to familiarize yourself withthe controls can lead to loss of con-trol, which could cause an accidentor injury.EAU16831Engine break-inThere is never a more important periodin the life of your engine than the periodbetween 0 and 1000 km (600 mi). GenuineYamaha accessories, which are avail-able only from a Yamaha dealer, havebeen designed, tested, and approvedby Yamaha for use on your vehicle.Many companies with no connectionto Yamaha manufacture parts and ac-cessories or offer other modificationsfor Yamaha vehicles. Once you havecompleted a turn, accelerateslowly. Be careful when passing parkedcars. A typical error made by theoperator is veering wide on a turndue to excessive speed or under-cornering (insufficient lean anglefor the speed).• Always obey the speed limit andnever travel faster than warrant-ed by road and traffic condi-tions.• Always signal before turning orchanging lanes. The electri-cal circuit of the warning light can bechecked by turning the vehicle power1. High beam indicator light “ ”6. 8-12Cleaning the V-belt case air filter element..... 4-1Instrument and control functions... 8-11Final transmission oil ..... Thisimproper position limits thefreedom of movement of theoperator and may limit controlability, therefore, such accesso-ries are not recommended. Use caution when adding electri-cal accessories. 5-10Unified brake system (UBS) ..... EAUE5350Fuel meterThe fuel meter indicates the amount offuel in the fuel tank. If the vehicle is pushed while theStop and Start System is left turnedon, the engine could start and thevehicle could start moving if thethrottle grip is turned accidentally.EWA18751When placing the vehicle on thecenterstand, be sure to turn themain switch off. Otherwise have a Yamaha dealercheck the CCU and the electrical cir-cuit.EAUA1390Smartphone battery level meter (If CCU is equipped)This meter indicates the current batterylevel of the connected smartphone.The display segments of the meter dis-appear from full to blank as the batterylevel decreases. Now, let's search! You can use 3 different ... Throttle grip (page 8-16)7. 8-20Checking the brake fluid level ..... 5-9Front brake lever ..... Rear brake lever (page 5-10)2. If a problem cannot be corrected by the procedures provided inthis manual, have the vehicle inspected by a Yamaha dealer.ITEM CHECKS PAGEFuel• Check fuel level in fuel tank.• Refuel if necessary.• Check fuel line for leakage.5-11Engine oil• Check oil level in engine.• If necessary, add recommended oil to specified level.• Check vehicle for oil leakage.8-10Final transmission oil • Check vehicle for oil leakage. An overloaded scoot-er is unstable. 5-11Catalytic converter ..... Installing aftermarketproducts or having other modificationsperformed to your vehicle that changeany of the vehicle’s design or operationcharacteristics can put you and othersat greater risk of serious injury ordeath. 8-23Lubricating the front and rear brake levers..... NOTICE: After 1000 km (600mi) of operation, be sure to changethe engine oil and final transmissionoil, and to clean the oil strainer.[ECA16502]1000 km (600 mi) and beyondThe vehicle can now be operated nor-mally.ECA10271If any engine trouble should occurduring the engine break-in period,immediately have a Yamaha dealercheck the vehicle.EAUE5390Starting the engineECA10251See page 7-1 for engine break-in in-structions prior to operating the ve-hicle for the first time.In order for the ignition circuit cut-offsystem to enable starting, the side-stand must be up. 8-20Checking the front brake pads and rear brake shoes ..... When approximately10% or less of the battery remains, thelast segment starts flashing.1. Incoming call icon “ ”2. Theindicator light will flash when the en-gine is automatically stopped by theStop and Start System.Even if the Stop and Start Switch is setto “ ”, this indicator light may notcome on. Such itemscan create unstable handling ora slow steering response. This vehicle is not designed topull a trailer or to be attached toa sidecar.Maximum load:147 kg (324 lb)UBUVE0E0.book Page 3 Tuesday, December 12, 2023 2:10 PMPage 101-41Genuine Yamaha AccessoriesChoosing accessories for your vehicleis an important decision. The light should come on for a fewseconds, and then go off. Yamaha is not ina position to test the products thathese aftermarket companies produce.Therefore, Yamaha can neither en-dorse nor recommend the use of ac-cessories not sold by Yamaha ormodifications not specifically recom-mended by Yamaha, even if sold andinstalled by a Yamaha dealer.Aftermarket Parts, Accessories, andModificationsWhile you may find aftermarket prod-ucts similar in design and quality togenuine Yamaha accessories, recog-nize that some aftermarket accesso-ries or modifications are not suitablebecause of potential safety hazards toyou or others. R3 R15M R15V4 R15S MT-03 MT-15 Ver 2.0 FZ-S Fi Hybrid FZ-S Fi FZ-Fi FZ-S Fi Ver 4.0 DLX FZ-S Fi Ver 4.0 FZ-S Fi Ver 3.0 FZ-X R15M MT-15 Ver 2.0 Aerox 155 Version S Aerox 155 RayZR 125 Fi Street Rally RayZR 125 Fi Fascino 125 Fi 123456789101112Consumer informationIndexSpecificationsScooter care and storageOperation and important riding pointsFor your safety – pre-operation checksInstrument and control functionsStop and Start SystemSpecial featuresDescriptionSafety informationPeriodic maintenance and adjustment Page 2EAU81566Read this manual carefully before operating this vehicle. Slow down and cross themwith caution. 8-22Checking and lubricating the cables..... Afterthat, the icon stays on until you turn thevehicle off. This function works only when thesmartphone is connected to thevehicle. Notifications must be setup foreach application on the connect-ed smartphone in advance.EAUA1380App Connect icon (If CCU is equipped)This icon comes on when CCU andsmartphone is connected via MyRideApp.If CCU is equipped:Even if the smartphone is not connect-ed, when the vehicle is turned on, thisicon should come on for a few sec-onds. Safety information 1. If this occurs,have a Yamaha dealer check the on-board diagnostic system. Therefore, checkthis system regularly and have aYamaha dealer repair it if it does notfunction properly.EAUT1098Check the operation of the sidestandswitch according to the following pro-cedure.UBUVE0E0.book Page 17 Tuesday, December 12, 2023 2:10 PM Page 205-15EAUE4270The main switch/steering lock controlsthe ignition and lighting systems, and isused to lock the steering, and to openthe seat. 8-17Cast wheels ..... 4-1CCU-Communication Control Unit (if equipped)..... Even ifyou try to ventilate engine exhaustwith fans or open windows anddoors, carbon monoxide can rap-idly reach dangerous levels. Do not run engine in poorly venti-lated or partially enclosed areassuch as barns, garages, or car-ports. Do not run engine outdoors whereengine exhaust can be drawn intoa building through openings suchas windows and doors.LoadingAdding accessories or cargo to yourscooter can adversely affect stabilityand handling if the weight distributionof the scooter is changed. 3-1Stop and Start System ..... OffUBUVE0E0.book Page 3 Tuesday, December 12, 2023 2:10 PMPage 63-233. The indicator light goesoff when the vehicle is stopped.When battery voltage is low, the smartmotor generator may not assist withacceleration.AUBUVE0E0.book Page 3 Tuesday, December 12, 2023 2:10 PMPage 235-45EAU86814EWA12423Be sure to stop the vehicle beforemaking any setting changes to themulti-function meter unit. The display seg-ments of the fuel meter disappear from“F” (full) towards “E” (empty) as the fuellevel decreases. If you have anyfurther questions, do not hesitate to contact your Yamaha dealer.The Yamaha team wishes you many safe and pleasant rides. Remove the key.If the steering will not lock, try turningthe handlebars back to the right slight-ly.UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 215-25To unlock the steeringPush the key in and turn it to “ ”.EAU4939YIndicator lights and warning EAU11033Turn signal indicator lights “ ” and ““Each indicator light will flash when itscorresponding turn signal lights flash.EAU11081High beam indicator light “ ”This indicator light comes on when thehigh beam of the headlight is switchedon.EAUN0711Eco indicator light “ECO”This indicator light comes on when thevehicle is being operated in an environ-mentally friendly, fuel-efficient manner.The indicator light goes off when thevehicle is stopped.Consider the following tips to reducefuel consumption: Avoid high engine speeds duringacceleration. Travel at a constant speed.EAU93300Malfunction indicator light (MIL) “ ”This light comes on or flashes if a prob-lem is detected in the engine or othervehicle control system. Other-wise the electrical systems will beswitched off, which may result inloss of control or an accident.EAUE4651 (LOCK)The steering is locked and all electricalsystems are off. (See page 3-1.)EAUE5760Acceleration assist indicator light “ASST” This vehicle is equipped with a SmartMotor Generator (SMG) that not onlystarts the engine, but also assists withinitial acceleration.This indicator light comes on when thesmart motor generator is assisting withacceleration. 8-24Checking the front fork..... Check accessorymounts and cargo restraints fre-quently.• Properly adjust the suspensionfor your load (suspension-ad-justable models only), andcheck the condition and pres-sure of your tires.• Never attach any large or heavyitems to the handlebar, frontfork, or front fender. “SELECT” button7. Certain mainte-nance can only be carried outby certified staff.UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 81-21 Many accidents involve inexperi-enced operators. A driver might not see youand open a door in your path. Railroad crossings, streetcar rails,iron plates on road constructionsites, and manhole covers be-come extremely slippery whenwet. SpeedometerZAUE5338mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODO211. 5-14Storage compartment.....5-15Luggage hook .....5-16DC connectors .....5-16Sidestand .....5-16Ignition circuit cut-off system .....5-17For your safety – pre-operation checks .....6-1Operation and important riding points .....7-1Engine break-in.....7-1Starting the engine.....7-2Starting off .....7-3Acceleration and deceleration .....7-3Braking.....7-4Tips for reducing fuel consumption.....7-5Parking.....7-5Periodic maintenance and adjustment .....8-1Tool kit .....8-1Periodic maintenance chart for the emission control system.....8-2General maintenance and lubrication chart.....8-3Removing and installing the panel.....8-7Checking the spark plug .....8-8Canister.....8-10Engine oil and oil strainer ..... 8-21Changing the brake fluid ..... Contact an autho-rized scooter dealer to find outabout the training courses nearestyou.Safe RidingPerform the pre-operation checkseach time you use the vehicle to makesure it is in safe operating condition.Failure to inspect or maintain the vehi-cle properly increases the possibility ofan accident or equipment damage.See page 6-1 for a list of pre-operationchecks. This scooter is designed to carrythe operator and a passenger. The failure of motorists to detectand recognize scooters in traffic isthe predominating cause of auto-mobile/scooter accidents. Use a strong cordto secure any luggage to the carri-er (if equipped). 8-22Checking and lubricating the throttle grip and cable end..... Always follow the inspectionWARNINGEWA11152Failure to inspect or maintain the vehicle properly increases the possibility of an accident or equipment damage.Do not operate the vehicle if you find any problem. 5-13Kickstarter ..... También por: Xc115b. 5-13Helmet holders ..... 5-1Main switch/steering lock..... Therefore theMIL may come on or flash due to vehi-cle modifications, lack of maintenance,or excessive/improper use of the vehi-cle. 5-2Multi-function meter unit ..... Fuel meterZAUE5339mile L/100kmkm/L MPGmile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPV-BELTF/ECOTRIPOILAVGODOOILAVGODO11. 1-5Description ..... Here, along withthe information about accessories be-low, are some general guidelines to fol-low if loading cargo to your scooter:The total weight of the operator, pas-senger, accessories and cargo mustnot exceed the maximum load limit.Operation of an overloaded vehiclecould cause an accident.When loading within this weight limit,keep the following in mind: Cargo and accessory weightshould be kept as low and close tothe scooter as possible. (See page 1-3.)UBUVE0E0.book Page 6 Tuesday, December 12, 2023 2:10 PM Page 13EAU10114Welcome to the Yamaha world of motorcycling!As the owner of the LCG125, you are benefiting from Yamaha’s vast experience and newest technology regarding the de-sign and manufacture of high-quality products, which have earned Yamaha a reputation for dependability.Please take the time to read this manual thoroughly, so as to enjoy all advantages of your LCG125. Otherwise, the en-gine could start and the vehiclecould start moving if the throttlegrip is turned accidentally.EWA18781Before performing maintenance, besure to turn the main switch off. The keycannot be removed. To prevent battery discharge, donot leave the key in the “ ” posi-tion without the engine running. The headlight comes on automat-ically when the engine is started.EAUE4631 (OFF)All electrical systems are off. Please select your country or region. If the lightdoes not come on initially when the ve-hicle power is turned on, or if the lightremains on, have a Yamaha dealercheck the vehicle.ECA26820If the MIL starts flashing, reduce en-gine speed to prevent exhaust sys-tem damage.The engine is sensitively monitored bythe on-board diagnostic system to de-tect deterioration or malfunction of theemission control system. Ifmaintenance is performed while theStop and Start System is turned on,the engine could start and the vehi-cle could start moving if the throttlegrip is turned.UBUVE0E0.book Page 4 Tuesday, December 12, 2023 2:10 PM Page 53-33EAU76704Restart the engineIf the throttle grip is turned while theStop and Start System indicator light isflashing, the engine will automaticallyrestart and the “ ” indicator light willstop flashing.EWA18731Do not turn the throttle grip toomuch or too quickly when the Stopand Start System is activated andthe engine is stopped. 8-19Adjusting the rear brake lever free play..... Contactan authorized scooter dealer toinform you on basic scootermaintenance. 8-19Checking the unified brake cable free play..... 8-11Front brake• Check operation.• If soft or spongy, have Yamaha dealer bleed hydraulic system.• Check brake pads for wear.• Replace if necessary.• Check fluid level in reservoir.• If necessary, add specified brake fluid to specified level.• Check hydraulic system for leakage.8-20, 8-21Rear brake• Check operation.• Lubricate cable end if necessary.• Check lever free play.• Adjust if necessary.• Check brake shoe wear.• Replace if necessary.8-19, 8-21UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PM Page 185-185Turn the main switch on.Put the sidestand up.Push the start switch while applyingeither of the brake levers. The various parts inthe engine wear and polish themselvesto the correct operating clearances.During this period, prolonged full-throt-tle operation or any condition thatmight result in engine overheatingmust be avoided.EAU455840–150 km (0–90 mi)Avoid prolonged operation above 1/3throttle.150–500 km (90–300 mi)Avoid prolonged operation above 1/2throttle.ZAUE5348mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOZAUE5349mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOUBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 166-26Throttle grip• Make sure that operation is smooth.• Check throttle grip free play.• If necessary, have Yamaha dealer adjust throttle grip free play and lubricate ca-ble end and grip housing.8-16, 8-23Control cables• Make sure that operation is smooth.• Lubricate cable ends if necessary.8-22Wheels and tires• Check for damage.• Check tire condition and tread depth.• Check air pressure.• Correct if necessary.8-17, 8-18Brake levers• Make sure that operation is smooth.• Lubricate lever pivoting points if necessary.8-23Centerstand, sidestand• Make sure that operation is smooth.• Lubricate pivots if necessary.8-24Chassis fasteners• Make sure that all nuts, bolts and screws are properly tightened.• Tighten if necessary.—Instruments, lights, signals and switches• Check operation.• Correct if necessary.—Sidestand switch • Check operation of ignition circuit cut-off system.• If system is not working correctly, have Yamaha dealer check vehicle.5-16Battery• Check battery function.• If necessary, have a Yamaha dealer recharge the battery.8-26ITEM CHECKS PAGEUBUVE0E0.book Page 2 Tuesday, December 12, 2023 2:10 PM Page 176-16EAU1559BInspect your vehicle each time you use it to make sure the vehicle is in safe operating condition. Multi-function displayZAUE53376mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOSELECT1872345UBUVE0E0.book Page 4 Tuesday, December 12, 2023 2:10 PMPage 245-55If CCU is equipped:Even if the smartphone is not connect-ed, when the vehicle is turned on, thisicon should come on for a few sec-onds. Right turn signal indicator light “ ”5. Install the MyRide App on yoursmartphone and activate it.The MyRide App can be downloadedfrom an App store.2. Open the seat. Turn the main switch on.The following warning lights andindicator lights should come on fora few seconds, then go off. Malfunction indicator light ECO indicator light Stop and Start System indi-cator light Acceleration assist indicatorlightECA22510If a warning or indicator light doesnot work as described above, seepage 5-2 for the correspondingwarning and indicator light circuitcheck.2. Close the throttle.acceleration.ZAUE5350mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOZAUE5351mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOUBUVE0E0.book Page 2 Tuesday, December 12, 2023 2:10 PMPage 15Operation and important riding points7-17EAU15952Read the Owner’s Manual carefully tobecome familiar with all controls. Securelypack your heaviest items as closeto the center of the vehicle as pos-sible and make sure to distributethe weight as evenly as possibleon both sides of the scooter tominimize imbalance or instability. Shifting weights can create a sud-den imbalance. These accessories mayalso cause instability whenpassing or being passed bylarge vehicles.• Certain accessories can dis-place the operator from his orher normal riding position. This manual comes under the category scooters and has been rated by 6 people with an average of a 8.8. This manual is ... Yamaha CYGNUS RAY ZR 2022 Pdf User Manuals. Latest manuals, catalogs, and softwares are available for download. (See page 5-17.)1. Front brake lever (page 5-10)UBUVE0E0.book Page 3 Tuesday, December 12, 2023 2:10 PM Download the official brochures of all the motorcycles and scooters of Yamaha India - YZF-R3, YZF R15 v3.0, FZS-FI, Fascino, Alpha, Ray ZR, Ray Z, R15, R15s, Fazer25, Fazer-FI, FZ25, SZ-RR v2.0, ... Explore Yamaha's Owner Manuals - Comprehensive guides for maintaining and servicing your Yamaha motor products. 8-18Checking the front brake lever free play..... 8-16Valve clearance..... 8-23Checking and lubricating the centerstand and sidestand..... The engine or exhaust sys-tem become very hot during or af-ter operation and can causeburns. A passenger should also observethe above precautions.UBUVE0E0.book Page 2 Tuesday, December 12, 2023 2:10 PMPage 91-31Avoid Carbon Monoxide PoisoningAll engine exhaust contains carbonmonoxide, a deadly gas. If electrical ac-cessories exceed the capacity ofthe scooter’s electrical system, anelectric failure could result, whichcould cause a dangerous loss oflights or engine power.UBUVE0E0.book Page 4 Tuesday, December 12, 2023 2:10 PMPage 111-51Aftermarket Tires and RimsThe tires and rims that came with yourscooter were designed to match theperformance capabilities and to pro-vide the best combination of handling,braking, and comfort. 8-16Tires ..... Multi-function displayMPH km/hV-BELTF/ECOTRIP1mile L/100kmkm/L MPGOILAVGODOZAUE5340UBUVE0E0.book Page 5 Tuesday, December 12, 2023 2:10 PMPage 25Safety information..... Malfunction indicator light “ ”7. After washing the scooter,check the brakes before riding.UBUVE0E0.book Page 5 Tuesday, December 12, 2023 2:10 PMPage 121-61 Always wear a helmet, gloves,trousers (tapered around the cuffand ankle so they do not flap), anda brightly colored jacket. Do not carry too much luggage onthe scooter. To avoid thepossibility of an accident, use extremecaution when adding cargo or acces-sories to your scooter. The nexttime the vehicle is turned on andthe MyRide App is active, the con-nection will be automatically exe-cuted. Only one smartphone can be con-nected to the CCU at a time. If more than one phone has beenregistered in the CCU, then thefirst phone within reach will beconnected.1. CCU QR Code1. Left turn signal indicator light “ ”2. Also, deadlylevels of carbon monoxide can lingerfor hours or days in enclosed or poorlyventilated areas. Multi-function meter unit (page 5-4)4. View and Download Yamaha CYGNUS RAY ZR 2022 supplementary service manual online. Every operator shouldknow the following requirements be-fore riding this scooter.He or she should: Obtain thorough instructions froma competent source on all aspectsof scooter operation. Observe the warnings and mainte-nance requirements in this Own-er’s Manual. Obtain qualified training in safeand proper riding techniques. Obtain professional technical ser-vice as indicated in this Owner’sManual and/or when made neces-sary by mechanical conditions. Never operate a scooter withoutproper training or instruction. 3-1Special features ..... User Manual Yamaha RAYZR (2024) (English - 96 Pages) - Free download as PDF File (.pdf), Text File (.txt) or read online for free. Incoming notification icon “ ”5. 8-25UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 262-32EAU10431AAAA12ZAUE5330PASSkm/hkm/LkmOILV–BELTF / ECOAVGODOTRIPAppASSTmile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODO31. Choose the lo-cation for the straps carefully sothe straps will not rub againstpainted surfaces during transport. The suspension should be com-pressed somewhat by the tie-downs, if possible, so that thescooter will not bounce exces-sively during transport.EAU57600 Be sure to signal clearly whenmaking turns. Braking can be extremely difficulton a wet road. Speedometer6. App connect icon4. On2. So, remember to put safety first!Yamaha continually seeks advancements in product design and quality. View online or download Yamaha CYGNUS RAY ZR 2022 Supplementary Service Manual Yamaha Motor Owner’s Manual Library is a free service provided by Yamaha Motors allowing you to view your Owner's Manual anytime, anywhere. Takea training course. 2-3Stop and Start System..... If accessoriesare added to the handlebar orfront fork area, they must be aslightweight as possible andshould be kept to a minimum.• Bulky or large accessories mayseriously affect the stability ofthe scooter due to aerodynamiceffects. Eco indicator light “ECO”3. Wind may attempt to liftthe scooter, or the scooter maybecome unstable in crosswinds. 8-10Why Yamalube..... Therefore, while this manual contains the most cur-rent product information available at the time of printing, there may be minor discrepancies between your scooter and thismanual. If there is any question concerning this manual, please consult a Yamaha dealer.EWA12412Please read this manual carefully and completely before operating this scooter.UBUVE0E0.book Page 1 Tuesday, December 12, 2023 2:10 PMPage 14Operation and important riding points7-27500–1000 km (300–600 mi)Avoid prolonged operation above 3/4throttle. If you experience anysymptoms of carbon monoxide poi-soning, leave the area immediately, getfresh air, and SEEK MEDICAL TREAT-MENT. Do not run engine indoors. The Owner’s Manualdoes not only instruct you in how to operate, inspect and maintain your scooter, but also in how to safeguard yourself andothers from trouble and injury.In addition, the many tips given in this manual will help keep your scooter in the best possible condition. Latest manuals, catalogs, and softwares are available for download. If you do not answer the call,the icon stays on until you turn the ve-hicle off.This function works only when thesmartphone is connected to the vehi-cle.EAUA1360Incoming notification icon “ ” (If CCU is equipped)This icon flashes for 10 seconds whenthe connected smartphone receives anSNS, E-mail or other notification. 1-1Further safe-riding points..... Flashing12AAAZAUE5157UBUVE0E0.book Page 2 Tuesday, December 12, 2023 2:10 PMPage 71-11EAU1026BBe a Responsible OwnerAs the vehicle’s owner, you are re-sponsible for the safe and proper oper-ation of your scooter.Scooters are single-track vehicles.Their safe use and operation are de-pendent upon the use of proper ridingtechniques as well as the expertise ofthe operator. The Stop and Start System acti-vates and the indicator lightcomes on when the following con-ditions are met: The Stop and Start Systemswitch is set to “ ”. After the engine was warmedup, the engine was left idlingfor a certain period. The vehicle has traveled at aspeed of 10 km/h or higher.4. To turn off the Stop and Start Sys-tem, set the Stop and Start Sys-tem switch to “ ”. To preserve battery power, theStop and Start System may notactivate. If the Stop and Start System doesnot activate, have a Yamaha deal-er check the battery.EAU76832Stop the engineThe engine will stop automaticallywhen the following conditions are met: The Stop and Start System switchis set to “ ”. The “ ” indicator light on themulti-function meter is on. The vehicle is stopped with thethrottle grip fully returned.At this time, the “ ” indicator lightstarts flashing to indicate that the en-gine is currently stopped by the Stopand Start System.ZAUE5332mile L/100kmkm/L MPGMPH km/hV-BELTF/ECOTRIPOILAVGODOSELECT1. The engine willstart.Put the sidestand down.If the engine stalls:The sidestand switch is OK.Place vehicle on centerstand.UBUVE0E0.book Page 18 Tuesday, December 12, 2023 2:10 PM Page 195-175sibility of raising the sidestand be-fore starting off. Making yourselfconspicuous appears to be veryeffective in reducing the chance ofthis type of accident.Therefore:• Wear a brightly colored jacket.• Use extra caution when you areapproaching and passingthrough intersections, since in-tersections are the most likelyplaces for scooter accidents tooccur.• Ride where other motorists cansee you. Turn the handlebars all the way tothe left.2. With the key in the “ ” position,push the key in and turn it to “ ”.3.

- https://koronavirus.lenti.hu/feltoltes/files/saleremmokiladaxi.pdf
- can you get in trouble for driving without a license
- pega
- mazavi
- zufugofi